

## TEST REQUEST FORM

### TEST REQUESTED BY:

Prescriber's name: \_\_\_\_\_ E-mail: \_\_\_\_\_  
 Hospital: \_\_\_\_\_ Unit: \_\_\_\_\_  
 Address: \_\_\_\_\_ P.C.: \_\_\_\_\_  
 City: \_\_\_\_\_ Phone: \_\_\_\_\_  
 Blood collection center/Laboratory: \_\_\_\_\_

### Patient identification data

Reference number: \_\_\_\_\_ Sex: \_\_\_\_\_ Age<sup>1</sup>: \_\_\_\_\_

Sample taking date: \_\_\_\_\_

The patient has been informed and asked for consent.

The patient requires an additional regular blood test

<sup>1</sup> Patient must be older than 18 years old.

### Patient's relevant data

Parameter	Value
Weight (kg) *	
Height (m) *	
BMI (kg/m <sup>2</sup> ) * a	

Previous surgeries: \_\_\_\_\_

Regular medication: \_\_\_\_\_

Previous pathologies: Diabetes  Hypercholesterolemia  Hypertension

Other  Details: \_\_\_\_\_

Symptomatology / Reason for consultation: \_\_\_\_\_

\* Data required for the performance of the test.

a) Patient's BMI must be higher than 25 kg/m<sup>2</sup>.

### Instructions for serum sample collection

The necessary amount of sample to perform the OWLiver test is 0.2 mL of serum



Blood must be collected under fasting conditions ( $\geq 8$  hours) and extracted into vacutainer SST II Advance tubes or similar, without anticoagulant and with a separating gel (Vacutainer System Blood Set needles, or similar), being these tubes transparent glass plastic with silicone-coated inside and clot activator or similar.



Blood sample is centrifuged according to the extraction tube manufacturer's instructions. Once the phases have separated, the serum is collected and stored in an Eppendorf-type tube. The sample should be frozen for storage at  $-80^{\circ}\text{C}$  before 24h. If not possible, it will be frozen at  $-20^{\circ}\text{C}$ , but only for a maximum period of 6 weeks.



The shipment of the samples is performed on dry ice to keep them frozen.

The cost of the test will be covered by:

The patient  The insurance company (specify)  \_\_\_\_\_ Other (specify)  \_\_\_\_\_

I wish to receive the OWLiver report by:

E-mail  Registration at <http://www.owlmetabolomics.com>  Mail

Important note: Please, attach this form to the serum sample sent for analysis.

Samples and request forms will be destroyed after three months unless otherwise requested.

In accordance with the provisions of Regulation (EU) 2016/679 of April 27, 2016 (GDPR) and the Organic Law (ES) 3/2018 of December 5, ONE WAY LIVER SL, as the commissioner of data treatment, is subject to the duty of confidentiality, according to Article 5 Organic Law 3/2018 on the Protection of Personal Data and guarantee of digital rights, using personal data to which they have access only and exclusively to comply with their contractual obligations, and observing and adopting all necessary security measures to ensure confidentiality. In no case shall it transfer to third parties the personal data to which they have access.